

STASEVSKIY, P.I.

Cleaning dewatering screens during operation. Sakh. prom. 32
no. 7:26-27 Jy '58. (MIRA 11:8)

1. Kiyevskiy sakhsveklotrest.
(Sugar industry--Equipment and supply)

STASEVSKIY, P.I.

Steam feed line to centrifugal beet slicers. Sakh. prom. 32
no.8:54-56 Ag '58. (MIRA 11:9)

1.Kiyevskiy sakhsveklotrest.
(Sugar industry—equipment and supplies)

OASHKOVSKIY, F.M.; BONDARENKO, V.A.; STASEVSKIY, P.I.

Manufacture of filtration kieselguhr in the Ukraine. Sakh. prom.
35 no. 5:11-15 My '61. (MIRA 14:5)

1. Ukr~~g~~iprosakhar.

(Ukraine--Kieselguhr)

GRITSENKO, Ye.M.; GRIZODUBOV, N.I.; MIL'KOVA, Z.A.; TYAZHELOVA, G.F.;
STASEYEV, G.I.

Problem deserving attention. Sakh. prom. 37 no.10:28-33 0 '63.
(MIRA 16:12)

1. Ramonskaya gruppovaya laboratoriya (for Gritsenko, Grizodubov).
2. Voronezhskiy tekhnologicheskii institut (for Mil'kova).
3. Ramonskiy sakharanny zavod (for Tyazhelova, Staseyev).

STASEYEV, O.I.; TYAZHELOVA, G.F.

Boiler scale removal by boiling with sodium and lime. Sakh.
prom. 33 no.10:33-34 0 '59. (MIRA 13:3)

1. Ramonskiy sakharney zavod.
(Boilers--Incrustations)
(Sugar industry--Equipment and supplies)

L 04070-67 EWT(1) CW/GD

ACC NR: AT6025116

(N)

SOURCE CODE: UR/0000/65/000/000/0154/0164

AUTHOR: Rybakov, V. I.; Nikolayenko, A. G.; Staseyev, Yu. P.

41
B+1

ORG: none

TITLE: Use of motion-picture methods to investigate hydrodynamic processes

SOURCE: AN SSSR. Okeanograficheskaya komissiya. Sektsiya podvodnykh issledovaniy. Razvitiye morskikh podvodnykh issledovaniy (Development of underwater marine research) Moscow, Izd-vo Nauka, 1965, 154-164

TOPIC TAGS: cinematography, hydrodynamics, stereoscopic photography, underwater photography

ABSTRACT: This article examines certain principles of conducting underwater motion-picture filming of rapidly moving objects both in fluids and at the intersection of the air-fluid interface. A stereophotogrammetric cinematographic method is devised for visualizing water flows in transmitted and in combined light for studying cavitation flows. The method indicated in the article for determining the power of the light source with consideration of absorption, scattering, and travel rate of the object permits obtaining qualitative and quantitative data. Photography in media with different optical densities permits obtaining the characteristics of the

Card 1/2

L 04070-67
ACC NR: AT6025116

motion of a body with an accuracy up to 5%. Application of stereophotogrammetric motion-picture filming in hydrodynamic investigations showed the advantages of the method, the need for its further development, and its introduction into scientific research. Orig. art. has: 10 figures.

SUB CODE: 14,20/ SUBM DATE: 06Dec65/ ORIG REF: 002

RH
Card 2/2

STASHAUSKAYTE, S. A.

Dissertation: "Dynamics of Vitamin C in the Buds, Leaves, and Fruit of Some Fruit Trees."
Cand Biol Sci, Inst of Biology, Acad Sci Lithuanian SSR, Vil'nyus, 1953. (Referativnyy
Zhurnal—Khimiya, Moscow, No 11, Jun 54)

SO: SUM 318, 23 Dec 1954

STASHAYTIS, Yu.N. [Stashaitis, J.]

Nesting of dunlin and common gull in Lithuania. Ornitologija no.7:489
'65. (MIRA 18:10)

STASHCHEENKO, N. P.

Med Conditioned-reflex hypoglycemia in psychic patients. 2
A. F. Serova. *Zhur. Nevropatol. i Psikhiatr. im. Korsakova*
54, 764-6 (1954).—Eighteen patients were kept under obser-
vation: 14 schizophrenics, 3 reactive psychotics and 1 alco-
holic delirium. All were under insulin treatment. The
purpose was to det. whether hypoglycemia can be induced
by the injection of physiol. saline in psychiatric patients
kept under insulin treatment, and whether hypoglycemic
response to insulin treatment is a true biochem. or merely a
conditioned reflex reaction. Patients were given physiol.
saline injections instead of insulin, and sugar detns. were
made 1, 2, and 3 hrs. later. S. concludes that the con-
ditioned-reflex hyperglycemia developed in psychic pa-
tients kept under insulin treatment is of a lower level.

Generally, following placebo injection the blood sugar is
considerably lowered on the 2nd day and returns to normal
on the 3rd day. The fall in the blood sugar following saline
injection in psychic patients under insulin treatment 1.5-
2.5 hrs. after the placebo injection may amount to 18%
and in some instances to 30%. A few cases exhibited a
neuro-inertia to the placebo treatment, and in other few
cases a rapid and high hyperglycemia developed. This
was especially true in patients whose psychiatric condition
showed symptoms of improvement. In some instances in
which psychic symptoms were aggravated while under in-
sulin treatment, the injection of saline caused a rise in the
blood sugar (cf. following abstr.).

The prognostic significance of conditioned hypoglycemia
in psychic patients. N. P. Stashchenko (M. A. Kalinin
Med. Inst., Omsk). *Zhur. Nevropatol. i Psikhiatr. im.*
Korsakova 54, 767-8 (1954).—General test procedure was
identical with the one used by Serova (cf. preceding abstr.)
and the types of patients and the treatment results were
nearly the same. S. concludes that a conditioned hypo-
glycemia in psychiatric patients under insulin treatment is

S. I. STASHENENKO, N. P.

a favorable prognostic indicator; this is especially true of schizophrenics. In the majority of the patients who manifested no conditioned hypoglycemia while under insulin treatment, insulin therapy failed to bring about favorable results.

B. S. Levine

2/2

STASHCHUK, F.G. [Stashchuk, F.H.]; STASHCHUK, M.F.


Method for obtaining preparations with oriented argillaceous minerals.
Dop.AN URSR no.7:940-943 '60. (MIRA 13:8)

1. Institut mineral'nykh resursov AN USSR. Predstavleno akademikom
AN USSR N.P.Semenenko [M.P.Semenenko].
(Clay)

STASHCHUK, M.D.

Clinical aspects and treatment of late schizophrenia. Vop.klin.,
patog. i lech. shiz. no.1:131-134 '64. (MIRA 18:5)

1. Otdel psikhozov pozdnego vozrasta (zav. - prof. S.G.Zhislin)
Gosudarstvennogo nauchno-issledovatel'skogo instituta psikiatrii
Ministerstva zdravookhraneniya RSFSR i Simferopol'skaya
psikhiatricheskaya bol'nitsa (glavnyy vrach - R.G.Lipanov).



~~STASHCHUK~~

STASHCHUK, M. F., Cand Geol-Min Sci -- (diss) "Mineralogy
and lithology of early Paleozoic deposits of the ^{Central} ~~middle~~
Dnester Valley and mineral resources ^{associated} ~~connected~~ with them."
Kiev, 1957. 14 pp (Min of Higher Education Ukr SSR, Kiev
State Univ im T. G. Shevchenko), 100 copies (KL, 1-58, 116)

- 24 -

STASHCHUK, M.F.

Stratigraphy of the mute terrigenous layer of lower Paleozoic
deposits in the middle Dniester region, Geol. zhur. 17 no.2:

38-48 '57.

(MLRA 10:11)

(Dniester Valley--Geology, Stratigraphic)

~~STASHCHUK, Mikhail Fedorovich~~; RODIONOV, S.P., vidpovidal'nyi red.;

MEL'NIK, G.F. [Mel'nyk, H.F.], red. vidavnitstva; ROZENTSVEYG, Ye.N.
[Rozentsveig, I.E.N.], tekhn.red.

[Lithologic characteristics of ancient Paleozoic sediments in the
central Dniester Valley] Litologichni osoblyvosti davn'opaleozois'kykh
vidkladiv seredn'oho Prydnistrov'ia. Kyiv, Vyd-vo Akad. nauk URSR,
1958. 42 p. (Akademia nauk URSR, Kiev, Instytut geologichnykh nauk.
Trudy no.21. Seriya stratygrafii i paleontologii) (MIRA 11:7)
(Dniester Valley--Rocks, Sedimentary)

AUTHOR: Stashchuk, M.F. SOV-21-58-4-21/29

TITLE: Structure of the Enclosing Rocks in the Middle Dnestr Area, the Facial Changes in the Sediments Connected with Them and Gaps in the Deposits (Struktury oblekaniya v rayone srednego Pridnestrov'ya, svyazannyye s nimi fatsial'nyye izmeneniya v osadkakh i pereryvy v otlozheniyakh)

PERIODICAL: Dopovidi Akademii nauk Ukrain'skoi RSR, 1958, Nr 4, pp 440-444 (USSR)

ABSTRACT: Several investigators detected a series of tectonic elevations in the Middle Dnestr area, which can be traced on the paleogeological chart of ancient Paleozoic layers. F.F. Lungersgauzen, G.Kh. Kikenshteyn, M.O. Gribova and L.O. Klevtsova, and T.F. Yevseyev pointed out the existence of gaps between the ancient Paleozoic deposits in this area. The author questions these concepts. His detailed study of the ancient Paleozoic deposits and lithological-facial data does not support the existence of these gaps and tectonic elevations. He advances an alternative hypothesis, that many structures whose age was differently estimated by various investigators arose during the process of sediment accumulation on the projections of the crystalline foundation. The pebble layers occurring between the individual horizons of the terrigenous formation

Card 1/2

SOV-21-58-4-21/29

Structure of the Enclosing Rocks in the Middle Dnestr Area, the Facial Changes in the Sediments Connected with Them and Gaps in the Deposits

are associated with the vault-part of these structures and are explained, not by regional gaps, but by local washing away of the elevated sections. This process is connected with the shallowness of the basin and epeirogenetic fluctuations in Podolia during the Old Paleozoic sediment accumulation. There is 1 chart, 1 cross section and 3 Soviet references.

ASSOCIATION: Institut geologicheskikh nauk AN UkrSSR (Institute of Geological Sciences of the AS UkrSSR)

PRESENTED: By Member of the AS UkrSSR, V.G. Bondarchuk

SUBMITTED: June 14, 1957

NOTE: Russian title and Russian names of individuals and institutions appearing in this article have been used in the transliteration.

1. Rock--Geology 2. Geophysics--USSR

Card 2/2

STASHCHUK, F.G. [Stashchuk, F.H.]; STASHCHUK, M.F.

Method for obtaining preparations with oriented argillaceous minerals.
Dop. AN URSS no. 7:940-943 '60. (MIRA 13:8)

1. Institut mineral'nykh resursov AN USSR. Predstavleno akademikom
AN USSR N.P. Semenenko [M.P. Semenenko].
(Clay)

STASHCHUK, M.F.

Effect of time on the changes in the refractive index of clay
minerals. Zap. Vses. min. ob-va 89 no.5:588-590 '60.
(MIRA 13:10)

(Minerals--Optical properties)

(Clay)

STASHCHUK, M.F.; SUPRICHOV, V.A.

Mineralogy of loess deposits of the Sivash Valley. Mat.z min.
Ukr. no.2:79-91 '61. (MIRA 15:8)
(Sivash region--Loess)

STASHCHUK, M.F.

Characteristics of carbonate accumulation in the Sivash silts.
Dokl. AN SSSR 143 no.2:427-429 Mr '62. (MIRA 15:3)

1. Institut mineral'nykh resursov AN USSR. Predstavleno
akademikom N.M.Strakhovym.

(Sivash-Silt)

(Carbonates)

SIASHCHUK, Mikheil Fedorovich; SUKRYCHEV, Vladimir Andreyevich;
KHITRAYA, Mariya Stepanovna; YUREK, Yu.Yu., doktor geol.-
miner. nauk, otv. red.; CHERNOVICH, I.Ya., red.

[Mineralogy, geochemistry, and conditions governing the
formation of the bottom sediments of Sivash] Mineralogiia,
geokhimiia i usloviia formirovaniia donnykh otlozhenii
Sivasha. Kiev, Naukova dumka, 1964. 172 p.

(SIRA 18:1)

ACC NR: AR7004293

(A)

SOURCE CODE: UR/0274/66/000/011/A078/A078

AUTHOR: Bokrinskaya, A. A.; Stashchuk, V. D.

TITLE: Thermistor selective filters for infralow frequencies

SOURCE: Ref. zh. Radiotekhnika i elektrosvyaz', Abs. 11A625

REF SOURCE: Vestn. Kiyevsk. politekhn. in-ta. Ser. radiotekhn., no. 2, 1965, 166-174

TOPIC TAGS: electric filter, thermistor, oscillatory circuit

ABSTRACT: Operation of a thermistor is considered when the amplitude of the alternating component of the thermistor current is substantially lower than the bias current I_0 that determines the operating point on the thermistor characteristic. In this case, the thermistor acts as a linear inertial element in the circuit. If its operating point is selected on the drooping portion of its I-V characteristic, its equivalent reactance is inductive. By combining such a thermistor with a capacitor (TC-circuit), a circuit can be built whose frequency characteristics are similar to those of LC-circuits. Amplitude and phase characteristics of series, parallel, and coupled TC-circuits are considered. The TC-circuit can be easily controlled by the bias current I_0 , which permits designing the devices suitable for operation in a wide infralow band. Tuning by I_0 can ensure as wide band as that obtainable by varying capacitance in an LC-circuit. By selecting suitable circuit elements, a fairly high equivalent Q-factor (10--15) can be obtained. Sensitivity to the ambient temperature is a disadvantage of TC filters; it could be remedied by thermostat control. Ten figures. I. Z. [Translation of abstract]

Card 1/1

SUB CODE: 09

UDC: 621.317.76.621.316.825

SHULYAK, Z.N.; KRASUKHINA, M.M.; STASHENKO, Yu.M.

Characteristics of the geometric parameters of the surface of
various samples of silicon dioxide. Kauch. i rez. 22 no.10:
33-34 0 '63. (MIRA 16:11)

1. Nauchno-issledovatel'skiy institut shinnoy promyshlennosti.

СТАШЕВ, А. Г.

РАКОВ, Александр Павлович, профессор; МИЛОВИДОВ, Николай Михайлович,
инженер; БУХАЛЕВ, Александр Васильевич, инженер; ТАРАСОВ,
Иван Иванович, инженер; СТАШЕВ, А. Г., рецензент; КАПЛЕВИЧ,
Я. И., редактор; МЕЛОВАНОВ, Л. Я., технический редактор

[Cotton spinning] Prisoedienie khlopka. Izd. 2-oe, ispr. 1 dop.
Moskva, Gos. nauchno-tekhn. izd-vo M-va legkoi promyshl. SSSR,
1957. 518 p. (MLPA 10:10)

(Cotton spinning)

STASHEVA, M.P.

Experience in the use of suspensions for flyer bobbins. Tekst.
prom. 22 no.11:39 N '62. (MIRA 15:11)

1. Nachal'nik pryadil'nogo proizvodstva fabriki imeni III Interna-
tionala.

(Spinning machinery)

STASHEVA, M.P.

Ways to make yarn a profitable article. Tel'st.prom. 25 no.11:35
N '65. (MIRA 18:12)

1. Glavnyy ekonomist pryadil'no-tkatskoy fabriki imeni III
Internatsionala.

KOK, I.P.; STASEVSKAYA, I.P. [Stasevs'ka, I.I.]

Nucleotide composition of deoxyribonucleic acid of some domestic and
wild birds. Dop. AN URSSR no.5:628-630 '63. (MIRA 17:9)

1. Institut zoologii AN UkrSSR. Predstavleno akademikom AN UkrSSR
V.A.Belitsersom [Belitsers, V.O.].

STASHEVSKAYA, V. V.

2

Stashevskaya, V. V. On inverse problems of spectral analysis for a class of differential equations. Doklady Akad. Nauk SSSR (N.S.) 93, 409-411 (1953). (Russian)

The inverse problem for $y'' + [\lambda - q(x)]y = 0$ on $(0, \infty)$ with $q(x)$ real and integrable on $[0, b]$ for any $b < \infty$ has been considered by Gelfand and Levitan [Izvestia Akad. Nauk SSSR. Ser. Mat. 15, 309-360 (1951); these Rev. 13, 558]. Here the inverse problem for

$$y'' + [\lambda - q(x) - n(n-1)/x^2]y = 0$$

is considered where for any $\epsilon > 0$ and any a

$$\bullet \int_0^a |xq(x)|^{1+\epsilon} dx < \infty$$

and similar results to those of Gelfand and Levitan are obtained. *N. Levinson (Cambridge, Mass.).*



STASHEVSKAYA, V.V. (Khar'kov)

Inverse spectrum-analysis problem for a differential
operator with a singularity in zero. Uch.zap.KHGU 80:49-86
'57. (MIR: 12:11)

(Function analysis)

SOURCE : USSR
 CATEGORY : Cultivated Plants. Industrial. Oleiferous. M
 : Sugar.
 ABS. JOUR. : RZhBiol., No. 3, 1959, No. 11076
 AUTHOR : Stasnevskaya, Yu. A.
 INST. : -
 TITLE : The Use of Permanganate of Potassium as a Means of
 Controlling suckering of "Makhorka" (Nicotiana rustica).
 ORIG. PUB. : Tabak, 1958, No. 1, 54-55.
 ABSTRACT : $KMnO_4$ was used at Dept "Makhorka"-growing sovkhos (Chernigovskaya Oblast', Ukrainian SSR) in 1956 for the suppression of sucker growth on "Makhorka". In the process of the first suckering, $KMnO_4$ was applied in powder form to the site of the broken-off sucker with the simultaneous breaking of the adjoining epidermis of the petiole tissue with the point of the pincers. During the 20 days of the observations, the suckers did not grow again on the treated plants. It was observed that $KMnO_4$ does not produce appreciable influence on the growth of the plants.
 CARD: 1/2

STASHEVSKIY, Dmitriy Nikolayevich [Stashevs'kyi, D.M.]; KOVAL', M.V.,
red.; RAKHLINA, N.P., tekhn.red.

[International significance of the seven-year plan for the
development of the national economy of the U.S.S.R.] Mizhna-
rodne snachennia semyrichnoho planu rozvytku narodnoho hospo-
darstva SRSR. Kyiv, Vyd-vo Akad.nauk URSR, 1959. 72 p.
(MIRA 13:3)

(Russia--Economic policy)

STASHEVSKIY, G.A.

Use of furadonin in urology. Zdrav.Belor. 5 no.1:55-56 Ja '60.
(MIRA 13:5)

1. Iz kafedry urologii (zaveduyushchiy kafedroy - doktor med.nauk
A.I. Mikhel'son) Belorusskogo instituta usovershenstvovaniya
vrachey.

(UROLOGY)

(FURAN)

MOKHORT, V.A.; STASHEVSKIY, G.A.

Diagnosis of a kidney carbuncle. Zdrav.Bel. 8 no.12:60-61 D
'62. (MIRA 16:1)

1. Iz kafedry urologii Belorusskogo instituta usovershenstvovaniya vrachey (zav. kafedroy - prof. A.I.Mikhel'son).
(KIDNEYS--DISEASES) (CARBUNCLE)

STASHEVSKIY, V.

New frontiers of underwater sports. Voen. znan. 40 no.12:
42-43 D '62 (MIRA 18:1)

1. Zamestitel' predsedatelya Vsesoyuznoy kollegii sudoy.

STASHEVSKIY, V.; MAZUROV, I.

Underwater sport at a new stage. Voen. znan. 41 no.8:41-42 Ag '65.

(MIRA 18:7)

1. Otvetstvennyy sekretar' Federatsii podvodnogo sporta SSSR (for Stashevskiy). 2. Glavnyy trener Federatsii podvodnogo sporta SSSR (for Mazurov).

STASHEVSKIY, V. E.

Rodnikovskaya MTS [Rodnikovskaya Machine-Tractor Station]. Moskva, Gos. izd-vo sel'skokhoziaistvennoi lit-ry, 1952. 240 p.

SO: Monthly List of Russian Accessions, Vol 6 No 6 September 1953

STASHEVSKIY, V.

Agricultural exhibitions

Organizing a regional agricultural exhibition. Sov. agron. 10 No. 3, 1952

Monthly List of Russian Accessions, Library of Congress, May 1952 UNCLASSIFIED

STASNEVSKIY, V.E.

Raionnye sel'skokhoziaistvennye vystavki (District agricultural expositions). 3-e, pererabot. i dop. izd. Moskva, Sel'khozgiz, 1953. 222 p.

SO: Monthly List of Russian Accessions, Vol. 7, No. 5, August 1954

1. STASHEVSKIY, V. YE.
2. USSR (600)
4. Machine-Tractor Stations
7. Monograph about a leading machine-tractor station ("Rodinovskaya Machine-Tractor Station." V. YE. Stashevskiy. Reviewed by L. Gorelov). Sots. sel'khoz., 24, no. 4, 1953.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

STASHEVSKIY, V.Ye.

On a Transcarpathian collective farm. Nauka i pered.op. v sel'khoz
6 no.11:54-57 N '56. (MLRA 10:1)
(Transcarpathia--Collective farms)

STASHEVSKIY, V.Ye. (Pyatigorskii rayon, Stavropol'skogo kraia).

Many thanks, Mikhail Gerasimovich! Nauka i pered.op. v sel'khoz.
Nauka i pered.op. v sel'khoz. 7 no.8:20-22 '57. (MLRA 10:7)
(Kel'bas, Mikhail Gerasimovich) (Stock and stockbreeding)

STASHEVSKIY, V.

A dream has come true. Nauka i pered. op. v sel'khoz. 8 no.3:71-73
Mr '58. (MIRA 11:3)

(Fruit culture)

GLINKA, M.V.; STASHEVSKIY, V.Ye.; KUZNETSOV, I.N., red.;
PEREPELITSKAYA, A.G., red.; YELAGIN, A.S., tekhn. red.

[Goals of Russia] Rubezhi Rossi. - Moskva, Sovetskaya
Rossiya, 1963. 286 p. (MIRA 16:4)
(Agriculture--Economic aspects)

STASHIN, V., polkovnik

Communists insist on the improvement of organizational work.

Komm.Vooruzh.Sil 1 no.3:58-60 F '61.

(MIRA 14:8)

(Russia--Air force--Political activity)

STASHIN, Ye.^A, inzhener.

Air conditioning in the watch industry. Khol.tech.32 no.3:32-36
J1 - S '55. (MLBA 9:1)

(Air conditioning) (Clocks and watches)

STASHIN, Ye. ^{A.}_R inzh.

Nomogram for determining the superheating of ammonia vapors in
suction lines of refrigerating machines. Khol. tekhn. 35 no. 3:28-
31 My-Je '58. (MIRA 11:7)

1. Tsentral'noye konstruktorskoye byuro kholodil'nogo mashinostroyeniya.
(Refrigeration and refrigerating machinery)

STASHIN, Ye.A., inzh; SAKHAROV, V.G., inzh.

Experimental plant operating. Khol.tekh. 38 no.2:49-50 Mr-Ap '61.
(MIRA 14#3)

(Refrigeration and refrigerating machinery)

MINEYEV, P.A., inzh.; GUREVICH, Ye.S., inzh.; SHINKA, V.Ya., inzh.;
BUKHTER, Ye.Z., inzh.; SHCHERBAKOV, V.S., inzh.; IL'INA,
N.I., inzh.; GLUKHOV, V.V., inzh.; GOGOLINA, T.V., inzh.;
KROTKOV, V.N., inzh.; STASHIN, Ye.A., inzh.; KUSHNER, A.P.,
Inzh.; YERMAKOVA, P.I., inzh.; PAVLOV, R.V., inzh., red.;
KASPEROVICH, N.S., ~~red.~~ izd-va; UVAROVA, A., tekhn. red.

[Catalog of refrigeration equipment] Katalog kholodil'nogo
oborudovaniia. Moskva, Mashgiz, 1963. 186 p.

(MIRA 16:7)

1. Russia (1923- U.S.S.R.) TSentral'noye konstruktorskoye
byuro kholodil'nogo mashinostroyeniya. 2. TSentral'noye konstruk-
torskoye byuro kholodil'nogo mashinostroyeniya (for all except
Kasperovich, Uvarova).

(Refrigeration and refrigerating machinery--Catalogs)

STASHININ, N.

Using dry branches in construction. Sel'.stroil. 15
no.7:30 J1 '60. (MIRA 13:8)

1. Starshiy propab Pankrushikhinskogo khlobopriyemnogo
punkta Altayskogo kraya.
(Altai Territory--Building materials)

ZAGORODNYUK, V.T.; STASHINOV, Yu.P.

Analysis of a potentiometric bridge for a relay-type servomechanism.
Trudy NPI 115:35-45 '61. (MIRA 15:4)
(Potentiometer) (Electricity in mining) (Servomechanisms)

STASHKEVICH, A. P.

"Investigation of the Relationship of Self-Ignition Delay Period to the Structural Peculiarities of an Engine and to Individual Factors in the Thermal Process." Cand Tech Sci, Khar'kov Polytechnic Inst imeni V. I. Lenin, Min Higher Education USSR, Khar'kov, 1954. (KL, No 1, Jan 55)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (12)
SO: Sum. No. 556, 24 Jun 55

STASHKEVICH, A. P.

STASHKEVICH, A. P., kand. tekhn. nauk.

Analyzing the errors in indicator diagrams. Sbor. st. CHPI no. 10:
5-18 '57. (MIRA 11:1)

(Electromechanical analogies)
(Gas and oil engines--Cylinders--Testing)

STASHKEVICH, A.P., kand.tekhn.nauk

Profiling cams of gas-distribution mechanisms in internal
combustion engines. Sbor.st.CHPI no.13:12-25 '59.
(MIRA 13:4)

(Cams)

SHISHKOVA, Yekaterina Vasil'yevna; STASHKEVICH, A.P., kand. tekhn.
nauk, dots., retsenzent; GYUL'BADAMOV, S.B., st. nauchn.
sotr., retsenzent; KOSSOVA, O.N., red.; SOKOLOVA, I.A.,
tekhn. red.

[Physical foundations for echo sounding in fishing] Fizicheskie osnovy rybolokatsii. Moskva, Pishchepromizdat, 1963.
145 p. (MIRA 16:7)

(Sonar in fishing)

Aleksandr Petrovich

MYASNIKOV, Lev Leonidovich; STASHKEVICH, A.P., kand. tekhn. nauk,
dots., retsenzent; KLYUKIN, I.I., nauchn. red.; KRYAKOVA,
D.M., tekhn. red.

[The inaudible sound] Neslyshimyi zvuk. Leningrad, Sudprom-
giz, 1963. 110 p. (MIRA 16:10)

(Sound)

Aleksandr Petrovich

PROSTAKOV, Anatoliy Leonidovich; LAPSHIN, V.P., kand. voenno-morsk.
nauk, retsenzent; STASHKEVICH, A.P., otv. red.; LESKOVA, L.R., red.

[Underwater acoustics in foreign navies; according to
materials of the foreign press] Gidroakustika v ino-
strannykh flotakh; po materialam zarubezhnoi pechati. Le-
ningrad, Sudostroenie, 1964. 154 p. (MIRA 17:4)

Known to be

Aleksandr Petrovich

So: S.G. Mezner OSI

SHAMARINA, N.M.; BERDYSHEVA, L.V.; LARINA, V.N.; STASHKEVICH, I.S.

Interrelationship between innervation and contractile reaction of muscle fibers. Zhur. evol. biokhim. i fiziol. 1 no. 6: 507-515 N-D '65 (MIRA 19:1)

1. Laboratoriya neyrona i sinapsa Instituta vysshey nervnoy deyatel'nosti i neyrofiziologii AN SSSR, Moskva. Submitted April 26, 1965.

STASHKO, N. M.

STASHKO, N. M. --"Detection and Quantitative Determination of Some Ions with Organic Reagents."*(Dissertations for Degrees in Science and Engineering Defended at USSR Higher Educational Institutions)(29)
Min Higher Education USSR, Odessa State U imeni I. I. Mechnikov, Odessa, 1955

SO: Knizhnaya Letopis' No 29, 16 July 1955

* For the Degree of Candidate in Chemical Sciences

Stashko, N. M.

3455. Quantitative determination of hypochlorites
with Rhodamine B. B. I. Danyuk and N. M.
Stashko. Trudy Odessk. Univ., Ser. Khim., 1957,
1956, 148 (5), 55-58; Ref. Zhur., Khim., 1957,
Abstr. No. 23,493.—A titrimetric semi-micro
method is evolved for the determination of ClO_2^-
in concn. of 0.01 to 0.001 N, with Rhodamine B.
Acidify a standard Rhodamine B soln. (20 ml) with
 $\text{N H}_2\text{SO}_4$ (5 ml) and titrate with the hypochlorite
soln. till decolorised. The method may be used in
the presence of ClO_2^- .
C. D. Korkin

PM MT

STASHKO, N.M.

Qualitative determination of certain anions. Nauk.zap.Krem.derzh.
ped.inst. no.4:97-102 '59. (MIRA 13:9)
(Chemistry, Analytical--Qualitative)

Stashkov, R.P.

V/1301. AN EFFECTIVE METHOD OF PROTECTING AN IDLE STEAM BOILER NOT
HERMETICALLY SEALED. Monet, A. and Stashkov, R.P. (Teplotekhnika (Heat
Engng, Moscow), Oct. 1954, 35, 36; Energiatechnik, Nov. 1955, vol. 5,
525). The method involves the application of a sodium nitride solution to
the metal surfaces giving rise to a concentrated layer of sodium nitride which
provides protection against rust under any conditions of boiler idleness even
when the boiler is filled with water. Results of tests carried out over nine
months are given and methods of applying the solution are suggested.
Approximately 16 lbs. of sodium nitride are needed for a boiler with a heating
surface of 400 sq. ft. and a water content of 10,500 gallons.
C.E.A.

STASHKO, R.P.

USSR /Chemical Technology. Chemical Products
and Their Application

I-14

Water treatment. Sewage water.

Abs Jour: Referat Zhur - Khimiya, No 9, 1957, 31750

Author : Mamet A.P., Stashko R.P.

Title : Study of the Technology of Ammonium-Cathionite
Treatment of Water

Orig Pub: Teploenergetika, 1956, No 5, 25-30

Abstract: A study was made of the treatment of water with
NH₄-cathionite under laboratory conditions
(cathionite (I) -- Wofatit R; depth of layer
430 mm; diameter of filter 25 mm). Residual

Card 1/4

USSR /Chemical Technology. Chemical Products
and Their Application

I-14

Water treatment. Sewage water.

Abs Jour: Referat Zhur - Khimiya, No 9, 1957, 31750

of NH_4OH are not suitable for the regeneration of I, since they cause deposition of $\text{Mg}(\text{OH})_2$. Expenditures of reagents for regeneration are (in g per g-equivalent): $(\text{NH}_4)_2\text{SO}_4$ 180, NH_4Cl 135. Expenditures of water for washing I are the same as on treatment with Na-cathionite. It is shown that a combined NH_4 -Na-cathionite treatment is possible. Ratio of NH_4^+ and Na^+ concentrations in the filtrate, throughout the entire cycle, is about that of the ratio of the expenditures of their salts during regeneration of I. On boiling of the water treated with the NH_4 -Na cathionite

Card 3/4

STASHKO, R.P., inzh.

Simplified methods for water quality control in industrial boiler
systems. Energetik. 13 no.7:36-37 JI '65.

(MIRA 18:8)

MAMET, A.P., doktor tekhn. nauk; STASHKO, R.P., inzh.

Chemical demineralization of the condensate. Teploenergetika 6
no.12:71-77 D '59. (MIRA 13:3)

1. Moskovskoye otdeleniye Tsentral'nogo nauchno-issledovatel'skogo
kotloturbinnogo instituta.
(Feed-water purification)

MAMET, A.P., doktor tekhn. nauk; STASHKO, R.P., inzh.

New methods for removing nitrites and nitrates from boiler
feedwater. Teploenergetika 11 no.7:55-60 J1 '64. (MIRA 17:8)

1. Moskovskoye otdeleniye TSentral'nogo kotloturbinnogo instituta.

STASHKO, S. P. ~~Abstract of~~ Cond Med. Sci -- (disc) "Immediate and
remote results of treatment of pulmonary tuberculosis patients
of regular Len, 1959. 17 pp (State Order of Lenin Inst for the
Advanced Training of Physicians in S.M. Kirov). 220 copies
(MI, 30-59, 107)

84

Methodology of the determination of the diastatic power of green malt. D. Klimovskii and S. Stashko. *Spiro-Yodachyay Prom.* 15, No. 3, 25-7 (1938). *Chem. Zvesti.* 1938, II, 2902; cf. C. A. 33, 8009^h. The modification of Lampe and Deplanque (cf. C. A. 30, 3453^g) of the Windisch-Dietrich-Kulbach method for the detn. of the diastatic power of green malt was tested on various samples of malt and under varying conditions. The detn. of the diastatic power is influenced by the concn. of the malt ext. and the temp. of saccharification. Higher temps. definitely increase the sensitivity of the method. The activating effect of NaCl on the dextrinating and attenuating power of the malt ext. could not be substantiated. However, the activity of malt exts. was increased not only by NaCl but also by peptone, H₂S and other substances. M. G. M.

| 1ST AND 2ND ORDERS | | | | | | | | | | | | | | | | | | | | | | | | | | 3RD AND 4TH ORDERS | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| PROCESSING AND PROPERTIES INDEX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>CA</p> <p>Activation of diastase of malt. D. Klimovskii, S. Stashko and T. Andrianova. <i>Trudy Vsesoyuz. Nauch.-Issledovatel. Inst. Spirtovoi Prom.</i> 1930, 54-60; <i>Khim. Referat. Zhur.</i> 1940, No. 5, 133; cf. <i>C. A.</i> 34, 6010¹. The diastatic activity of green malt can be increased by proteolysis in a mixt. with ripe malt, the av. increase being 20%. The optimum temp. is 45° and the duration of the proteolysis 2-4 hrs. NaCl, KCl, NH₄Cl, K₂SO₄, Na₂SO₄, and (NH₄)₂SO₄ increased the diastatic power of malt by 7-15% in 2-4% exts. Addn. of salts to 10% exts. had no effect on the diastatic power. Addn. of NaCl, NaF and (NH₄)₂SO₄ increased the liquefying power of malt by 50-100%. For detn. of diastatic power, the method of Lampe and Deplanche has no advantages over that of Windisch when the malt is extd. with 10 parts of water. W. R. H.</p> <p>16</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>158-51A METALLURGICAL LITERATURE CLASSIFICATION</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

CA

Treating young and ripened malt. Vsesoyuznyi Nauchno-Issledovatel. Inst. Spirtovoi Promyshlennosti (inventors D. N. Klimovskii and S. P. Stashko). Russ. 55, 683, Dec. 31, 1940. A mixt. of young and ripened malt is kept at a temp. of 45-50° to free the combined amylase present in the young malt.

16

ASSOCIATED METALLURGICAL LITERATURE CLASSIFICATION

| 1ST AND 2ND ORDERS | | | | | | | | | | | | | | | | | | | | | | | | | | 3RD AND 4TH ORDERS | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| PROCESSIES AND PROPERTIES INDEX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>CA</p> <p>Importance of millet malt in fermenting starch mashes. D. N. Klimovskii and S. Stashko. <i>Spirto-Vodochazny Prom.</i> 17, No. 7, 4-6(1940).—Barley malt having proved unsatisfactory for fermenting barley mash, oat and millet malts were tried. With 80% of either there was distinct improvement in fermentation and the rate was increased. Millet malt was more effective than oat malt; its fermentation curve almost coincided with the curve for a sugar mash. Two malt blends are recommended, namely, millet:barley: oat 35:35:30 and millet:barley 60:40. Results with several other malt blends are also reported. Julian F. Smith</p> <p>12</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION | | | | | | | | | | | | | | | | | | | | | | | | | | ESTIMATED VALUE | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOURCES | | | | | | | | | | | | | | | | | | | | | | | | | | SOURCES | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOURCES | | | | | | | | | | | | | | | | | | | | | | | | | | SOURCES | | | | | | | | | | | | | | | | | | | | | | | | | |

APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001653010014-0

| 1ST AND 2ND ORDERS | | | | | | | | | | | | | | | | | | | | | | | | | | 3RD AND 4TH ORDERS | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| 1ST AND 2ND ORDERS | | | | | | | | | | | | | | | | | | | | | | | | | | 3RD AND 4TH ORDERS | | | | | | | | | | | | | | | | | | | | | | | | | |
| CA | | | | | | | | | | | | | | | | | | | | | | | | | | 16 | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>PROCESSES AND PROPERTIES INDEX</p> <p>Diatatic properties of millet and millet malt. D. N. Kimovskii and S. Stashko. <i>Spirto-Vodochaya Prom.</i> 17, No. 10/11, 7-9(1940).—Millet contains an activator which enhances the effect of bacterial and fungous diastases as well as of malt diastase. Because of this activator millet malt can be used to excellent advantage in ale. manuf., or it may be profitable to ext. the activator for use in other malts.</p> <p>Julian F. Smith</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>ASB. S.L.A. METALLURGICAL LITERATURE CLASSIFICATION</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <p>1ST AND 2ND ORDERS</p> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

STASHIKO, S. F.

Vasilov, I. Ye., Stashiko, S. F. and Samoylova, V. Ye.

"On the biochemical transformation of grain in process of
becoming malt," *Vkusovaya prom-st'* SSSR, No. 1, 1948, p. 19-21

SO: U-5204, 10 April 1953, (Letopis 'Zhurnal 'nykh Statey, No. 3. 1949)

STASHKO, S.P.; SAMOYLOVA, V.Ye.

Causes of low germinative power of barley. Trudy VNIIPP no.4:99-
105 '54. (MIRA 10:1)

(Barley((Germination)

51 AS HBC 1.15

USSR/Chemical Technology - Chemical Products and Their Application. Fermentation
Industry, I-27

Abst Journal: Referat Zhur - Khimiya, No 19, 1956, 63555

Author: Stashko, S. P., Samoylova, V. Ye.

Institution: None

Title: On Brewing Quality of Some Varieties of Barley

Original

Periodical: Inform. byul. Gos. komis. po sortoispyt. s. kh. kul'tur pri M-ve
S. kh. SSSR, 1956, No 2, 20-35

Abstract: Indexes are given of the nature, sprouting, extraction properties,
starch content, proteins and general brewing characteristics of
various varieties of barley grown in USSR.

Card 1/1

USSR/Cultivated Plants - Grains.

M-2

Abs Jour : Ref Zhur - Biol., No 7, 1958, 29699
 Author : Stashko, S.P., Samoylova, V.Ye.
 Inst : The All-Union Institute for the Beer-Brewing Industry.
 Title : Experiments to Explain the Causes of the Reduced Productivity in the Verkhnyachskiy 8 Barely Variety.
 Orig Pub : Tr. Vses. n.-i. in-t pivovar. prom-sti, 1957, vyp. 6, 8-14
 Abstract : No abstract.

Card 1/1

STASHKO, S.P.

APPROVED FOR RELEASE: 08/25/2000
 USSR/Chemical Technology - Food Products and Their Application. Fermentation Industry.

I-12

CIA-RDP86-00513R001653010014-0"

Abs Jour : Ref Zhur - Khimiya, No 1, 1958, 2825
 Author : Stashko, S.P., Samoylova, V.Ye.
 Inst : All-Union Scientific Research Institute of the Brewing Industry
 Title : Brewing Characteristics of Barley of the Primorskiy Kray
 Orig Pub : Tr. Vses. n.-i. in-t pivovar. prom-sti, 1957, No 6, 15-17
 Abstract : Data are presented relative to tests of 2 varieties of barley: Viner and Ussuriyskiy 8, of 1953/54 harvest. In addition to the usual indices a determination was made, in the malt, of the difference in extraction between fine and coarsely ground material, of viscosity of the wort, and of the percentage of soluble nitrogen, on the basis of the total nitrogen content. Both varieties of barley

Card 1/2

STASHKO, S.P.; SAMOYLOVA, V.Ye.

*Determination of the quality of brewer's malt by the Hartong
method. Trudy VNIIPP no.7:16-24 '59. (MIRA 13:5)
(Malt)*

STASHKO, S.P.; SAMOYLOVA, V.Ye.

Effect of gibberellins on the fermentative activity of
germinating barley. Spirt.prom. 26 no.5:20-22 '60.
(MIRA 13:7)

(Gibberellin) (Barley) (Fermentation)

STASHKO, S.P.; SAMOYLOVA, V.Ye.; IPATOVA, G.F.

Methods for determining the germinative capacity of brewing
barley. Trudy TSentr. nauch.-issl. inst. piv., bezalk. i vin.
prom. no.10:31-37 '63. (MIRA 17:8)

STASEKOV, A. M.: Master Biol Sci (diss) -- "The problem of the dynamics of cardiovascular conditioned and unconditioned reflexes of man". Leningrad, 1959. 23 pp (Min Educ RSFSR, Leningrad State Pedagogical Inst im A. I. Gertsen), 150 copies (KL, No 18, 1959, 123)

ARBUZOV, S.Ya.; STASHKOV, A.M.; KOROTKOVA, V.P.

Effect of ionizing radiations and certain chemical protective
agents on physical endurance in animals. Farm. i tcks. 23
no. 5:459-464 S-0 '60. (MIRA 13:12)

1. Otdel radiobiologii (zav. - prof. S.Ya. Arbuzov) Institut
eksperimental'noy meditsiny AMN SSSR.
(RADIATION—PHYSIOLOGICAL EFFECT)
(RADIATION PROTECTION)

ARBUZOV, S.Ya.; STASHKOV, A.M.; KOROTKOVA, V.P.

Comparative data on the protective and therapeutic effect of the
derivatives of diamides of imidazoledicarboxylic acids in radiation
injury. Radiobiologiya 1 no.3:385-393 '61. (MIRA 14:10)
(IMIDAZOLEDICARBOXYLIC ACID)
(RADIATION PROTECTION)

STASHKOV, A.M.

Functional changes in the nervous system under the influence of pharmacological substances used in protecting against radiation injuries. Farm. i toks. 24 no.5:568-572 S-O '61. (MIRA 14:10)

1. Laboratoriya radiologii (zav. - prof. S.Ya. Arbuzov) Instituta eksperimental'noy meditsiny AMN SSSR.
(RADIATION PROTECTION) (NERVOUS SYSTEM)

27.1220

39562
S/205/62/002/003/008/015
1015/1215

AUTHOR: Stashkov, A. M.

TITLE: Changes in the bioelectrical activity of the nervous system following X- irradiation and after chemical protective measures

PERIODICAL: Radiobiologiya, v.2, no. 3, 1962, 437-441

TEXT. The mechanism of radiation injury and the possible chemical protection against it were electrophysiologically investigated. The experiments were carried out on 40 rabbits, of which 20 received mercamine (100 mg/kg b.w.) as a protective agent. When irradiated with 1000r X-rays (the dose rate 39-40 r/min), the cortical, subcortical and peripheral parts of the nervous system were stimulated with an ЭС-1 (ES-1) electronic stimulant and the data evaluated statistically with an integrator. Changes in the CNS of rabbits following a whole body irradiation of 1000r X-rays were: an initial increase in the number of impulses by 50-100% and a subsequent decrease in their number (down to 40-60% of the original level). Corresponding alterations were observed on EEG records. The protective activity of mercamine consisted in compensating the functional damage of the CNS caused by the prolonged increase in its excitability. There is 1 figure.

ASSOCIATION: Institut eksperimental'noy meditsiny AMN SSSR (Institute of Experimental Medicine, AMS USSR) Leningrad

SUBMITTED November 21, 1960

Card 1/1

KOROTKOVA, V.P.; STASHKOV, A.M.

Chemical prophylaxis of radiation injuries in different species
of animals. Radiobiologiya 2 no.6:903-906 '62 (MIRA 16:11)

1. Institut eksperimental'noy meditsiny AMN SSSR, Leningrad.

*

L 10116-63

EWT(1)/EWT(m)/BDS/ES(b) AFFTC/ASD K

ACCESSION NR: AP3000260

S/0241/63/008/005/0079/0082

AUTHOR: Stashkov, A. M.; Korotkova, V. P. (Leningrad)

54

TITLE: Protective and therapeutic effects of the synergistic action of effective substances on radiation sickness in animals

SOURCE: Meditsinskaya radiologiya, no. 5, 1963, 79-82

TOPIC TAGS: radiation sickness, cystamine, purine, pyrimidine compounds, pyridoxin, narcotic drugs, protective effects

TEXT: The effect of various combinations of cystamine, purine and pyrimidine compounds, pyridoxin (vitamin B sub 6), and narcotic drugs on radiation sickness in animals was studied for 30 days in white mice (male) weighing 18 to 20 g. The animals were subjected to x-irradiation with 700 r from an RUM-11 apparatus at 41.4 r/min. The highest protective effect was obtained by an intraperitoneal injection of 150 mg/kg cystamine 30 min before exposure, followed by a subcutaneous injection of 50 mg/kg antifein immediately after exposure (56% survival rate). An injection of 150 mg/kg cystamine

Card 1/2

L 10116-63

ACCESSION NR: AP3000260

0

30 min before exposure followed by an injection of 50 mg/kg antifein immediately after exposure and intraperitoneal injections of vitamin B(1 mg/kg) for seven consecutive days after exposure resulted in a 60% survival rate. The narcotic drug barbamy (100 mg/kg) inhibited the effect of antifein (20% survival rate), whereas chloral hydrate (also a narcotic drug), injected in a dose of 300 mg/kg immediately after exposure, increased the protective effect of antifein (100 mg/kg), resulting in a 58% survival rate. The data obtained indicate that the effectiveness of the preparations used depends on their chemical nature, dose, time, and sequence of administration. Activation and inactivation of the protective substances may occur simultaneously in the animal organism. Orig. art. has: 3 tables.

ASSOCIATION: none

SUBMITTED: 0029

DATE ACQ: 12Jun63

ENCL: 00

SUB CODE: 00

NO REF SOV: 000

OTHER: 000

Card^{2/2}

STASHKOV, A.M.; KOROTKOVA, V.P.

Quantitative relation of the protective effect of antifeines
to the radiation dosage. Radiobiologiya 3 no.2:281-284 '63.
(MIRA 17:1)

1. Institut eksperimental'noy meditsiny AMN SSSR, Leningrad.

L 13329-63

ACCESSION NR: AP3003939

EWT(1)/EWT(m)/BDS

AFPTC/AMD/ASD

AR/K

S/0205/63/003/004/0603/0611

AUTHOR: Korotkova, V. P.; Ry*zhekov, V. Ye.; Stashkov, A. M.

TITLE: Change in the concentration of 17-oxycorticosteroids and hematological indices in dogs after the application of certain chemical protective means and irradiation | 9

SOURCE: Radiobiologiya, v. 3, no. 4, 1963, 603-611

TOPIC TAGS: radiation sickness, ACTH, 17-oxycorticosteroid, adrenocorticotrophic hormone, mercamine, adrenal cortex, antiradiation treatment

ABSTRACT: The pathogenesis and chemical prophylaxis of radiation damage in dogs have been investigated on the basis of functional changes in the adrenal cortex. Several days after an absolute lethal dose (700 r), the concentration of 17-oxycorticosteroids in the peripheral blood plasma first exhibited a decrease, then a buildup, and finally in the terminal period a leveling off above normal. The immediate reaction of the adrenal cortex to the introduction of ACTH was to remain normal throughout all stages of radiation sickness, indicating the retention of reserve powers. The decrease in the concentration of 17-oxycorticosteroids in animals whose suprarenal glands have been screened against irradiation was

Card 1/2

L 13329-63
ACCESSION NR: AP3003939

not as pronounced as in the case of unshielded animals. The reaction to ACTH in the case of the former remained within normal bounds. No substantial differences were observed in the concentration of 17-oxycorticosteroids in animals who had received mercamine (75 mg/kg) and "antifein" (15 mg/kg); the reaction to ACTH in these cases was more pronounced. The results indicate the participation of the hypophysis-adrenal cortex system in the pathogenesis and pharmacological prophylaxis of radiation damage. It is concluded that a change of eosinophils after the introduction of ACTH cannot be used in the evaluation of the functional condition of the adrenal cortex. Orig. art. has: 1 table and 4 figures.

ASSOCIATION: Institut eksperimental'noy meditsiny* AMN SSSR (Institute of Experimental Medicine, AMN SSSR)

SUBMITTED: 21Jul62

DATE ACQ: 15Aug63

ENCL: 00

SUB CODE: AM

NO REF SOV: 021

OTHER: 025

Card 2/2

KOROTKOVA, V.P.; STASHKOV, A.M.

Role of the adrenal glands in the reaction to irradiation under
the protection of chemical preparations. Radiobiologiya 4 no.4:
594-598 '64. (MIRA 17:11)

1. Institut eksperimental'noy meditsiny AMN SSSR, Leningrad.

STASHKOV, A.M.; KOROTKOVA, V.P.

Radioprotective properties of pharmacological preparations with
neurotropic effect from the antifeine group. Farm- i toks. 27
no.1:73-76 Ja-F '64. (VIRA 17:11)

1. Otdel radiobiologii (zav. - prof. S.Ya. Arbuzov) Instituta
eksperimental'noy meditsiny AMN SSSR.

L 56083-65 EWG(j)/EWT(m)
ACCESSION NR: AP5018574

UR/0241/64/009/012/0046/0050

AUTHOR: Ryzhenkov, V. Ye.; Stashkov, A. M.

TITLE: Course of radiation sickness against a background of the stimulating action of radioprotective substances on the hypophysis-adrenal system

SOURCE: Meditsinskaya radiologiya, v. 9, no. 12, 1964, 46-50

TOPIC TAGS: radiation sickness, radiation protection, experiment animal, endocrinology, gland

ABSTRACT: The object of the experiments reported was to determine the effect of a number of radioprotective substances on the hypophysis-adrenal cortex system, and to establish the connection between this effect and the protective action of the preparations. Nonbred dogs weighing 16-21 kilograms were used in the experiments. The preparations tested were cystamine administered in doses of 50 milligrams per kilogram body weight; unithiol in doses of 50 milligrams per kilogram body weight; allylnoranti-pheine in doses of 15 milligrams per kilogram body weight; phenatine in

Card 1/2

L 56083-65

ACCESSION NR: AP5018574

doses of 5 milligrams per kilogram body weight. Cystamine and unithiol were administered intraperitoneally, allylnorantipheine, subcutaneously, and phenatine, intravenously. Within one to 1.5 hours after the administration of the preparations to the animals, a significant increase in the concentration of 17-Oxycorticosteroids was noted in the peripheral blood plasma and symptoms of a eosipenic reaction developed. This indicates an increase in the functional activity of the hypophysis-adrenal cortex system. The data obtained indicate the positive role which the neuro-endocrine influences plays in the mechanisms of the pharmacological protection of the organism from radiation afflictions.
Orig. art. has: 2 tables.

ASSOCIATION: Otdel farmakologii Instituta eksperimental'noy meditsiny, Leningrad (Pharmacology Department, Institute of Experimental Medicine); Laboratoriya radiobiologii Instituta eksperimental'noy meditsiny, Leningrad (Radiobiology Laboratory, Institute of Experimental Medicine)

SUBMITTED: 29Jan64

ENCL: 000

SUB CODE: LS

NR REF SOV: 005

OTHER: 004

JPRS

bab
Card 2/2

STASHKOV, A.M.

State of work capacity in animals following irradiation, adrenalectomy and use of radiation-protective substances. Farm.i toks. 29 no.3:347-350 My-Je '65. (MIRA 18:8)

1. Otdel radiobiologii (zav. - prof. S.Ya.Arbusov) Instituta eksperimental'noy meditsiny AN SSSR, Leningrad.

ACCESSION NR: AP4043218

S/0205/64/004/004/0594/0598

AUTHOR: Korotkova, V. P.; Stashkov, A. M.

TITLE: Role of the adrenals in reactions to radiation with the use of radioprotective chemicals

SOURCE: Radiobiologiya, v. 4, no. 4, 1964, 594-598

TOPIC TAGS: radiation protection, adrenal gland, immunology, mouse, rat, adrenalectomy, endocrinology, mercamine, antifein

ABSTRACT: The role of the adrenal glands in radiation sickness has been demonstrated by many authors. However, few studies have been undertaken to determine the mechanism of the adrenals associated with chemical prophylaxis against radiation sickness. To investigate this, mice (18—22 g) and rats (180—200 g) were lightly anesthetized, and both adrenals were removed through the lumbar region. Mice were exposed to 700—800-r whole body radiation while rats received 600—800 r from the 2nd, 3rd, 4th, 5th, 6th, 7th, 8th, 13th, and 30th day following adrenalectomy. Mercamine was intraperitoneally administered to both experimental and control animals 30 min prior

Cord 1/2